



# Material Safety Data Sheet

Page: 1 of 4  
Date of Issue: January 2014

## Otech 516 – Bitumen Extender Oil

---

### COMPANY DETAILS

---

**Company Name** Oil Technology Australia  
**Address** Cnr Boundary Road & Potassium Street  
NARANGBA QLD 4504 AUSTRALIA  
**Emergency Tel.** 0417 217 332  
**Product and MSDS Info:** 07 3203 2833

---

### IDENTIFICATION

---

**Product Name** Solvent Neutral Base Oil  
**Chemical Name** Petroleum Hydrocarbons

---

### Physical Data

---

**Appearance** Liquid  
**Colour** Amber  
**Boiling point** > 316°C  
**Melting point** N/A  
**Flash point (PMCC)** > 210°C (ASTM D-93)  
**Flammability** N/E  
**Auto Flammability** N/E  
**Solubility in Water** Negligible

---

### Other Properties

---

**pH** N/A  
**Explosive Properties** N/A  
**Oxidizing Properties** N/A  
**Vapour Pressure** < 0.1 (mmHg @ 20°C)  
**Vapour Density** > 2.0  
**Evaporation Rate** N/E  
**Relative Density** 0.804 (@15°C)  
**Partition Coefficient** > 3.5  
**Viscosity** 28.9 cSt (@ 40°C typical)  
5.0 cSt (@ 100°C typical)  
**Pour Point** < -10°C  
**Freezing Point** N/E

N/A=NOT APPLICABLE N/E=NOT ESTABLISHED

---

**Ingredients**

---

<b>Ingredients</b>	<b>Name</b>	<b>Proportion</b>	<b>CAS</b>
	Solvent Treated Heavy Paraffinic Distillate	100 %	64742-65-0

**Information on Composition**      Chemical Family: Petroleum Hydrocarbon

**Ingredients Considered Hazardous to Health**      This product is not formulated to contain ingredients which have exposure limits established by U.S. agencies. It is not hazardous to health as defined by the European Union Dangerous Substances/Preparations Directives.

---

**HEALTH HAZARD INFORMATION**

---

---

**Health Effects**

---

<b>Acute – Swallowed</b>	If more than several mouthfuls are swallowed, abdominal discomfort, nausea and diarrhea may occur.
<b>Acute – Eye</b>	Not expected to cause eye irritation following short-term exposure.
<b>Acute – Skin</b>	Expected to cause no more than minor skin irritation.
<b>Acute – Inhalation</b>	Harmful concentrations of mists and/or vapors are unlikely to be encountered through any customary or reasonably foreseeable handling, use, or misuse of this product.
<b>Chronic</b>	The base oil component(s) are not expected to be carcinogenic based on IARC criteria. This product has not been tested as a whole for chronic health effects.

---

**First Aid**

---

<b>Swallowed</b>	No specific first aid measures are required because this material is not expected to be harmful if swallowed. Do not induce vomiting. As a precaution, give the person a glass of water or milk to drink and get medical advice. Never give anything by mouth to an unconscious person.
<b>Eye</b>	Flush eyes immediately with fresh water for several minutes while holding the eyelids open.
<b>Skin</b>	Wash skin thoroughly with soap and water.
<b>Inhaled</b>	If respiratory irritation or any signs or symptoms as described in this MSDS occur, move the person to fresh air. If any of these effects continue, see a doctor.
<b>Advice to Doctor</b>	N/A

---

### PRECAUTIONS FOR USE

---

<b>Exposure Limits</b>	This product does not contain any components which have recognized exposure limits. However, an exposure limit of 5.00 mg/m <sup>3</sup> is suggested for oil mist.
<b>Eng. Controls</b>	Use in well ventilated area or with local exhaust ventilation. Vapour heavier than air – prevent concentration in hollows or sumps. Do not enter confined spaces where vapour may have collected.

---

### Personal Protection

---

<b>Eye Protection</b>	Safety glasses
<b>Clothing</b>	Overalls, safety shoes and gloves.
<b>Work/Hygienic Practices</b>	Avoid skin and eye contact and inhalation of vapours. Wear overalls, safety glasses and impervious gloves. Use with adequate ventilation. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

---

### Flammability

---

<b>Fire Hazards</b>	See Safe Handling Information.
---------------------	--------------------------------

---

### SAFE HANDLING INFORMATION

---

---

### Storage and Transport

---

<b>Transport</b>	Not classified as dangerous by the criteria of the Australian Dangerous Goods Code (ADG) for transport by road or rail. UN Number: N/A Dangerous Good Class: N/A Proper Shipping Name: N/A Hazchem Code (Aus/NZ): N/A
<b>Storage Regulations</b>	Store in a well ventilated area. Store away from halogens, strong acids, alkalis, oxidizing agents and foodstuffs.

---

### Spills and Disposal

---

<b>Spills &amp; Disposal</b>	Wear protective equipment to prevent skin and eye exposure and inhalation of vapours/mists. Work upwind or increase ventilation. Contain any spillage using absorbent soil, sand or any other inert material and prevent runoff to drains and waterways. Collect, seal and label drums for disposal. Wash down with detergent and excess water.
<b>Disposal</b>	Refer to State Land Waste Management Authority. Normally suitable for incineration by approved agent.

---

### Fire/Explosion Hazard

---

<b>Fire/Explosion Hazard</b>	Combustible liquid. May form flammable vapour mixes with air. Electrical requirements for work areas should be assessed according to AS 3000. On burning, will emit toxic fumes, including carbon monoxide (CO). Firefighters to wear self-contained breathing apparatus if risk of exposure to vapour or products of combustion.
<b>Extinguishing Media</b>	Foam, dry agent (CO <sub>2</sub> or dry chemical powder).

---

### OTHER INFORMATION

---

<b>Toxicology</b>	This product contains petroleum base oils which has been refined by processes including severe solvent extraction. These oils have not been listed in the U.S. National Toxicology Program (NTP) Annual Report nor have they been classified by the International Agency for Research on Cancer (IARC) as carcinogenic or probably carcinogenic to humans. Oral LD50 (Rat) >2000 mg kg <sup>-1</sup> Dermal LD50 (Rabbit) >2000 mg kg <sup>-1</sup>
<b>Environmental Protection</b>	Avoid contaminating waterways. Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

---

### CONTACT POINT

---

<b>Contact</b>	OTECH AUSTRALIA Cnr Boundary Rd & Potassium St Narangba QLD 4504 Telephone: (07) 3203 2833 Fax: (07) 3203 3700
----------------	--

The information contained in this MSDS is as accurate as we can ascertain at the this time. However, as the information is gleaned from a number of third party sources. Otech Australia can make no warranty, guarantee or statement as to the reliability or completeness of the information. Otech Australia will not accept liability for any damages whatsoever arising from reliance on this information. It is the responsibility of the user to satisfy himself as to the suitability and completeness of such information for his own use.